

**Order #:** INT200925-020011      **Order Date:** 2020-09-25      **Collection Date:** 2020-09-28      **Report Date:** 2020-10-05

**Batch #:** 052071121  
**Sample #:** AAAP915  
**Specimen Type:** CBD/HEMP Derivative Products (Ingestion)  
**Extracted From:** HEMP  
**Description:** BROAD SPECTRUM-2400mg-60ml-FRENCH VANILLA

**Initial Gross Weight:** 124 g  
**Net Weight:** 55.147 g  
**Density:** .9825 mg/ml  
**Method:** SOP-3



Potency  
Tested



The photos on this report are of a sample collected by the lab and may vary from the final packaging.

**Total CBD**  
4.533%      2,456.067mg

**Total THC**  
Not Detected

**Total CBG**  
0.093%      50.552mg

**Total CBN**  
Not Detected

**Other Cannabinoids**  
Not Detected

**Total Cannabinoids**  
4.626%      2,506.619mg

**Potency - 11 (Tested)**

**(HPLC/LCMS)**

Analyte	Result (mg/ml)	(%)	LOQ (%)	Analyte	Result (mg/ml)	(%)	LOQ (%)	Analyte	Result (mg/ml)	(%)	LOQ (%)
CBC	<LOQ	0.001		CBD	44.537	4.533	0.001	CBDA	<LOQ	0.001	
CBDV	<LOQ	0.001		CBG	0.917	0.093	0.001	CBGA	<LOQ	0.001	
CBN	<LOQ	0.001		Delta-8 THC	<LOQ	0.001		Delta-9 THC	<LOQ	0.001	
THCA-A	<LOQ	0.001		THCV	<LOQ	0.001		Total CBD	44.537	4.533	0.001
Total THC	<LOQ	0.001									

\*Total CBD = CBD + (CBD-A \* 0.877), \*Total THC = THCA-A \* 0.877 + Delta 9 THC, \*CBG Total = (CBGA \* 0.877) + CBG, \*CBN Total = (CBNA \* 0.877) + CBN, \*Other Cannabinoids Total = CBC + CBDV + THCV + THCV-A, \*Total Detected Cannabinoids = CBD Total + CBG Total + CBN Total + THC Total + CBC + CBDV + THCV + THCV-A, \*Total (mg) = Total (%) ÷ 100 \* Net Weight(mg) (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection

Xueli Gao  
Ph.D., DABT

Lab Toxicologist

Aixia Sun  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Principal Scientist

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.